AUTHOR INDEX, VOLUME XXXVI

Abe, K., and Yanagisawa, K.: Infrared spectra of melted polypropylene film, 536

Allen, P. W., Ayrey, G., and Moore, C. G.: Radiochemical studies of free-radical vinyl polymerizations. Part II. The polymerization of vinyl monomers in the presence of polyisoprenes: Use of C^{14}-labeled initiators to determine the mechanism of graft-interpolymer formation (with an Appendix by J. Scanlan), 55

Ayrey, G., and Moore, C. G.: Radiochemical studies of free-radical vinyl polymerizations. Part I. The nature of the initiation and termination processes in methyl methacrylate and styrene polymerizations using C^{14}-labeled initiators, 41

——: see Allen, P. W.

Barnes, E., Dewhurst, H. A., Kilb, R. W., and St. Pierre, L. E.; Radiation cross-linking efficiency for polydimethylsiloxanes, 525

Beste, L. F.: Distribution of components in condensation interpolymers, 313

Brachman, A. E.: Methyl thiolmethacrylate polymers, 560

Bristow, G. M.: Interaction parameters for rubber/nonsolvent systems, 526

Broda, A.: The thermodynamic state of the system polymer-liquid in a temperature field, 520

Buchdahl, R., Miller, R. L., and Newman, S.: Crystallization kinetics and mechanical properties of polyethylene, 215

Bueche, A. M.: see St. Pierre, L. E.

Cameron, G. G., Grant, D. H., Grassie, N., Lamb, J. E., and McNeill, I. C.: Copolymerization of methacrylic acid esters with methacrylonitrile, 173

Chiang, R.: Comments on intrinsic viscosity – weight – average molecular weight relationships for polyethylene, 91

Cobbs, W. H., Jr.: see Lasoski, S. W., Jr.

Creely, J. J., Segal, L., and Loeb, L.: An x-ray study of new cellulose complexes with diamines containing three, five, six, seven, and eight carbon atoms, 205

Cunneen, J. I., and Shipley, F. W.: *cis-trans* Isomerization in polyisoprenes. Part I. Improvement of the low temperature properties of natural rubber by reaction with thiol acids in solutions and in latex, 77

Dewhurst, H. A.: see Barnes, W.

——: see St. Pierre, L. E.

Douglas, C. M.: see Konecny, J. O.

Downes, J. G.: Anomalous diffusion in polymers, 519

Engleman, R.: see Keller, A.

Enomoto, S.: see Narita, S.

Firsching, F. H., and Rosen, I.: A tracer study of the polymerization of vinyl chloride by redox catalysis, 305

Fueno, T., Okamoto, H., Tsuruta, T., and Furukawa, J.: Quaternary ammonium salt as initiator for vinyl polymerization, 407

Fujii, H.: see Furukawa, J.

Fuoss, R. M.: Peter J. W. Debye: On his seventy-fifth birthday, 1

Furukawa, J., Saegusa, T., Tsuruta, T., Fujii, H., and Tatano, T.: High polymerization of acetaldehyde by alumina—A new method of preparation of polyether, 546

——, and Tsuruta, T.: Catalytic reactivity and stereospecificity of organometallic compounds in olefin polymerization, 275

——, ——, Saegusa, T., and Kakogawa, G.: Some new catalysts for the polymerization of alkylene oxides, 541

——: see Fueno, T.

Glavis, F. J.: Hydrolysis of crystallizable poly(methyl methacrylate), 547

Gleason, E. H.: see Morrison, E. D.

Golub, M. A.: *cis-trans* Isomerization of polyisoprene, 523

Goodban, A. E.: see Tomimatsu, Y.

Grant, D. H.: see Cameron, G. G.

Grassie, N.: see Cameron, G. G.

Gruver, J. T.: see Kraus, G.

Haas, H. C., and Schuler, N. W.: Nitrocarboxymethyl cellulose, 447

Hastings, G. W., and Peaker, F. W.: A study of the scattering of visible light by polymer particles precipitated from dilute solution, 351

Henley, E. J., and Ng, C. C.: Gamma radiation-induced solution polymerization of ethylene, 511

Henry, P. M.: Fractionation of polyethylene, 3

Hermans, J. J.: see Van Duin, P. J.

Holly, E. D.: Copolymerization characteristics of pentachlorophenyl vinyl sulfide, 329

Ichinohe, S.: see Narita, S.

Iwakura, Y.: see Tamikado, T.

Jain, P. L.: Proton magnetic resonance study in high polymers, 443

Jobling, A., and Roberts, J. E.: Flow testing of viscoelastic materials. Design and calibration of the Roberts-Weissenberg model R8 rheogoniometer, 421

——, and ——: An investigation, with the Weissenberg rheogoniometer, of the stress distribution in flowing poly-

isobutylene solutions at various concentrations and molecular weights, 433
Jones, J. F.: Cyclopolymerization. II. Polyacrylic anhydride (*addendum*), 566
Kakogawa, G.: see Furukawa, J.
Keller, A.: Electron microscope-electron diffraction investigations of the crystalline texture of polyamides (with an Appendix by A. Keller and R. Engleman), 361
Kilb, R. W.: see Barnes, W.
Konecny, J. O., and Douglas, C. M.: Polymerization of dichlorophosphine nitrides, 195
Kraus, G., Gruver, J. T., and Rollmann, K. W.: Inhibition of polymerization by carbon blacks, 564
Kubo, M.: see Kuroda, Y.
Kunde, J.: see Zahn, H.
Kuroda, Y., and Kubo, M.: CH_2 rocking vibrations and the structure of polyethylene glycols, 453
Lamb, J. E.: see Cameron, G. G.
Lasoski, S. W., Jr., and Cobbs, W. H., Jr.: Moisture permeability of polymers. I. Role of crystallinity and orientation, 21
Leaderman, H., Smith, R. G., and Williams L. C.: Rheology of polyisobutylene. III. Elastic recovery, non-Newtonian flow, and molecular weight distribution, 233
Lewis, C. W., and Lewis, D. W.: The copolymerization of silicon-substituted styrenes, 325
Lewis, D. W.: see Lewis, C. W.
Light, J. C., and Santonicola, A. T.: The kinetics of emulsion polymerization of vinylidene chloride, 549
Loeb, L.: see Creely, J. J.
McCormick, H. W.: Molecular weight distribution of polystyrene by sedimentation velocity analysis, 341
McNeill, I. C.: see Cameron, G. G.
Madorsky, S. L., and Straus, S.: Thermal degradation of polyethylene oxide and polypropylene oxide, 183
Magne, F. C.: see Marvel, C. S.
Marchessault, R. H.: see Rånby, B. G.
Marvel, C. S., Vessel, E. D., and Magne, F. C.: Vinyl pinonate-vinyl chloride copolymers, 35
Mercurio, A., and Tobolsky, A. V.: Stress relaxation studies of scission in rubber vulcanizates, 467
Miller, R. L.: see Buchdahl, R.
Moore, C. G.: see Allen, P. W.
——: see Ayrey, G.
Moore, L. D., Jr.: Relations among melt viscosity, solution viscosity, molecular weight, and long-chain branching in polyethylene, 155
——, and Peck, V. G.: Study of particles present in some high-pressure polyethylenes, 141
Morrison, E. D., Gleason, E. H., and Stannett, V.; The polymerization of vinyl benzoate. Inhibition by the monomer, 267
Murahashi, S.: see Tadokoro, H.
Nakajima, T.: see Saito, S.
Narita, S., Ichinohe, S., and Enomoto, S.: Infrared spectra of vinylidene chloride-vinyl chloride copolymer, 389
Newman, S.: see Buchdahl, R.
Ng, C. C.: see Henley, E. J.
Nishiyama, N.: see Tadokoro, H.
Nozakura, S.: see Tadokoro, H.
O'Callaghan, F.: see Peacock, N.
Okamoto, H.: see Fueno, T.
Palmer, K. J.: see Tomimatsu, Y.
Peacock, N., and O'Callaghan, F.: Ultracentrifuge and related studies on oxidized wool keratin, 485
Peaker, F. W.: see Hastings, G. W.
Peck, V. G.: see Moore, L. D., Jr.
Port, W. S.: see Riser, G. R.
Rånby, B. G., and Marchessault, R. H.: Inductive effects in the hydrolysis of cellulose chains, 561
Rao, V. S. R.: see Varadaiah, V. V.
Reed, W. N.: see Restaino, A. J.
Restaino, A. J., and Reed, W. N.: Kinetics of the gamma-induced graft copolymerization of vinyl acetate to Teflon, 499
Riser, G. R., Port, W. S., and Witnauer, L. P.: Detection of crystallinity changes in copolymers of vinylidene chloride and alkyl acrylates by torsional modulus measurements, 543
Roberts, J. E.: see Jobling, A.
Roedel, H.: see Zahn, H.
Rollmann, K. W.: see Kraus, G.
Rosen, I.: see Firsching, F. H.
Rossotti, H.: Infrared studies of complexes of iodine with monohydric alcohols and with amylose, 557
Saegusa, T.: see Furukawa, J.
St. Pierre, L. E., Dewhurst, H. A., and Bueche, A. M.: Swelling and elasticity of irradiated polydimethylsiloxanes, 105
——: see Barnes, W.
Saito, S., and Nakajima, T.: Dielectric study of oxidized polyethylene, 533
Santonicola, A. T.: see Light, J. C.
Scanlan, J.: see Allen, P. W.
Schimmel, G.: Electron-microscopic examination of polytetrafluoroethylene, 552
Schuler, N. W.: see Haas, H. C.
Schuyer, J.: Sound velocity in polyethylene, 475
Segal, L.: see Creely, J. J.
Shipley, F. W.: see Cunneen, J. I.
Slichter, W. P.: Crystal structures in polyamides made from ω-amino acids, 259
Smith, R. G.: see Leaderman, H.
Stannett, V.: see Morrison, E. D.
Straus, S.: see Madorsky, S. L.
Tadokoro, H., Nishiyama, N., Nozakura, S., and Murahashi, S.: Infrared spectra of isotactic polystyrene and isotactic poly-α,β,β-trideuterostyrene, 553
Tatano, T.: see Furukawa, J.
Tamikado, T., and Iwakura, Y.: The reactivity ratios of long-chain acrylic esters, 529

Tobolsky, A. V.: see Mercurio, A.
Tomimatsu, Y., Palmer, K. J., Goodban, A. E., and Ward, W. H.: Molecular weights of sugar beet araban fractions, 129
Trementozzi, Q. A.: Molecular weights and molecular dimensions of linear and branched polyethylenes, 113
Tsuruta, T.: see Fueno, T.
——: see Furukawa, J.
Tung, L. H.: A light-scattering study of low pressure polyethylene fractions, 287
Van Duin, P. J., and Hermans, J. J.: Light scattering and viscosities of chitosan in aqueous solutions of sodium chloride, 295
Varadaiah, V. V., and Rao, V. S. R.: Relation between molecular weight and root-mean-square end-to-end distance of randomly coiled macromolecules, 558
Vessel, E. D.: see Marvel, C. S.
Voeks, J. F.: Estimation of the parameters in the Mark-Houwink equation, 333
Wagner, H. B.: Molecular adsorption characteristics of matrix-formed adsorption polymers, 461
Ward, W. H.: see Tomimatsu, Y.
Williams, L. C.: see Leaderman, H.
Witnauer, L. P.: see Riser, G. R.
Yanagisawa, K.: see Abe, K.
Zahn, H., Roedel, H., and Kunde, J.: Oligamide aus ω-Aminoundecansäure, 539

SUBJECT INDEX, VOLUME XXXVI

Acetaldehyde, polymerization by alumina, 546
Acrylic esters, reactivity ratios, 529
Adsorption polymers, molecular adsorption characteristics, 461
Alcohols, monohydric, infrared studies of complexes with iodine, 557
Alkyl acrylates, copolymers with vinylidene chloride, 543
Alkylene oxides, catalysts for polymerization, 541
ω-Aminoundecanoic acid, 539
Amylose, infrared studies of complexes with iodine, 557
Branching, polyethylene, 155
Carbon blacks, inhibition of polymerization by, 564
Catalysts, for polymerization of alkylene oxides, 541
Cellulose, diamines in complexes of, 205
  inductive effects in hydrolysis of chains of, 561
  nitrocarboxymethyl, 447
Chitosan, light scattering and viscosity, 295
Condensation interpolymers, 313
Crystallinity, and moisture permeability, 21
Cyclopolymerization, 566
Dichlorophosphinic nitrides, polymerization, 195
Dielectric study, melted polyethylene film, 536
Diffusion, anomalous, in polymers, 519
Emulsion polymerization, vinylidene chloride, 549
Ethylene, solution polymerization, 511
Fractionation, polyethylene, 3
Free radicals, vinyl polymerization, 41
Gamma radiation, for graft copolymerization of vinyl acetate and Teflon, 499
  for solution polymerization of ethylene, 511
Graft copolymerization, vinyl acetate to Teflon, 499
Graft polymers, formation, 55
Hydrolysis, of cellulose chains, inductive effects in, 561
  polymethyl methacrylate, 547
Infrared spectra, isotactic polystyrene and isotactic poly-α,β,β-trideuterostyrene, 553
  vinylidene chloride-vinyl chloride copolymer, 389
Infrared studies, complexes of iodine with monohydric alcohols and amylose, 557
Initiator, quaternary ammonium salt as, 407
Intrinsic viscosity, polyethylene, 91
Iodine, infrared studies of complexes with monohydric alcohols and amylose, 557
Irradiation, polydimethylsiloxanes, 105
Kinetics, crystallization, of polyethylene, 215
  emulsion polymerization of vinylidene chloride, 549
  gamma-induced graft copolymerization of vinyl acetate to Teflon, 499
Light scattering, chitosan, 295
  low-pressure polyethylene, 287
  by polymer particles, 351
Mark-Houwink equation, parameters in, 333
Mechanical properties, polyethylene, 215
Melt viscosity, polyethylene, 155
Methacrylic acid esters, copolymerization with methacrylonitrile, 173
Methacrylonitrile, copolymerization with methacrylic acid esters, 173
Methyl methacrylate, polymerization using labeled initiators, 41
Methyl thiolmethacrylate polymers, 560
Molecular weight, polyethylenes, 113, 155
  and root-mean-square end-to-end distance of randomly coiled macromolecules, 558
  sugar beet araban fractions, 129
  weight-average, of polyethylene, 91
Molecular weight distribution, polyisobutylene, 233
  polystyrene, 341

Nitrocarboxymethyl cellulose, 447
Olefin polymerization, and organometallic compounds, 275
Organometallic compounds, catalytic reactivity and stereospecificity, 275
Orientation, and moisture permeability, 21
Particles, light scattering by, 351
Pentachlorophenyl vinyl sulfide, copolymerization characteristics, 329
Permeability, of polymers to moisture, 21
Polyacrylic anhydride, 566
Polyamides, crystalline texture, 361
crystal structure, 259
Polydimethylsiloxane, irradiated, 105
radiation crosslinking efficiency, 525
Polyethylene, crystallization kinetics and mechanical properties, 215
dielectric study of, 536
fractionation, 3
high-pressure, particles present in, 141
intrinsic viscosity–weight-average molecular weight relationships, 91
low-pressure, light scattering, 287
melt viscosity, solution viscosity, molecular weight, and long-chain branching, 155
molecular weights and dimensions, 113
sound velocity in, 475
Polyethylene glycols, CH_2 rocking vibrations and structure, 453
Polyethylene oxide, thermal degradation, 183
Polyisobutylene, rheology, 233
stress distribution in, 433
Polyisoprenes, *cis-trans* isomerization, 77, 523
and vinyl monomers polymerization, 55
Polymethyl methacrylate, hydrolysis, 547
Polypropylene oxide, thermal degradation, 183
Polystyrene, isotactic, infrared spectra of, 553
molecular weight distribution, 341
Polytetrafluoroethylene, electron-microscopic examination, 552
Poly-α,β,β-trideuterostyrene, isotactic, infrared spectra of, 553
Proton magnetic resonance, high polymers, 443
Radiation crosslinking, polydimethylsiloxane, 525
Radiochemistry, of vinyl polymerizations, 41, 55
Randomly coiled macromolecules, molecular weight and root-mean-square end-to-end distance, 558
Reactivity ratios, acrylic esters, 529
Redox catalysis, for vinyl chloride polymerization, 305
Rubber, interaction parameters with nonsolvent, 526
natural, low temperature properties, 77
Rubber vulcanizates, stress relaxation of scission in, 467
Sedimentation velocity analysis, for polystyrene molecular weight distribution, 341
Solution polymerization, ethylene, 511
Solution viscosity, polyethylene, 155
Sound velocity, in polyethylene, 475
Stress distribution, polyisobutylene, 433
Stress relaxation, rubber vulcanizates scission, 467
Styrene, polymerization using labeled initiators, 41
silicon-substituted, copolymerization of, 325
Sugar beet araban fractions, molecular weight, 129
Teflon, graft copolymerization to vinyl acetate, 499
Thermal degradation, polyethylene oxide and polypropylene oxide, 183
Thermodynamics, polymer-liquid system, 520
Vinyl acetate, graft copolymerization to Teflon, 499
Vinyl benzoate, polymerization, 267
Vinyl chloride, copolymer with vinylidene chloride, infrared spectra, 389
copolymers with vinyl pinonate, 35
polymerization by redox catalysis, 305
Vinylidene chloride, copolymer with vinyl chloride, infrared spectra, 389
copolymers with alkyl acrylates, 543
emulsion polymerization kinetics, 549
Vinyl monomers, polymerization, 55
Vinyl pinonate, copolymers with vinyl chloride, 35
Vinyl polymerization, free radical, 41
with quaternary ammonium salt as initiator, 407
Viscoelastic materials, flow testing of, 421
Viscosity, chitosan, 295
Wool keratin, ultracentrifuge studies on, 485